

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	((("4330778") or ("4187523"))).PN.	USPAT; USOCR	OR	OFF	2006/03/17 08:46
S2	4561	three same phrase	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/21 16:04
S3	64	S2 same current same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/21 15:20
S4	3	S2 same (current adj (transformer transformers))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/21 15:21
S5	251547	three same phase	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/21 15:22
S6	4084	S5 same (current adj (transformer transformers))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/21 15:22
S7	2743	S6 same current same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/21 15:22
S8	817	S7 same protect\$5	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/21 15:23
S9	297	S8 same (detect\$5 monitor sense)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/21 15:23
S10	135	S9 same breaker	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/21 15:23
S11	95	S10 same trip	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 08:17
S12	1	S11 same microprocessor	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/21 15:24

EAST Search History

S13	4	S11 same amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/21 15:28
S14	116	three adj phrase	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/21 16:04
S15	0	S14 same (phase adj difference)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/21 16:04
S16	96632	phase adj (difference differences)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 08:17
S17	8291	S16 same current same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 08:18
S18	230	S17 same (current adj (transformer transformers))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 08:18
S19	25	S18 same protect\$5	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 08:18
S20	1	("5448442").PN.	USPAT; USOCR	OR	OFF	2005/11/22 08:34
S21	121690	three same phase	USPAT	OR	OFF	2005/11/22 08:34
S22	251652	three same phase	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 08:34
S23	4084	S22 same (current adj (transformer transformers))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 09:37
S24	51	S23 same (voltage adj (detect\$5 monitor sense))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 08:44
S25	1	S24 same microprocessor	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 08:36

EAST Search History

S26	5	S24 same breaker	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 08:40
S27	4084	S23 same current	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 09:38
S28	844	S27 same fault	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 09:37
S29	98	S28 same increase	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 09:38
S30	2	S23 same (mean adj current)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 10:26
S31	182320	phase adj (shift difference angle)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 10:26
S32	1217	S31 same trip	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 10:27
S33	330	S32 same current same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 10:27
S34	121	S33 same (sense sensor sensing detect detector detection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 10:27
S35	12	S34 same (comparision comparator compare)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 10:44
S36	9	("3054991" "3663956" "3715741" "3820022" "3829735" "3906361" "3953794" "4001682").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/22 10:35
S37	9	("4001682").URPN.	USPAT	OR	OFF	2005/11/22 10:35

EAST Search History

S38	13	("3185958" "3777133" "3787765" "4001682" "4068311" "4654586" "4685132" "4712060" "4723282" "4885554" "5345440").PN. OR ("6452377").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/22 10:35
S39	3	("5768307" "6373881" "6452377").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/22 10:35
S40	251652	three same phase	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 10:44
S41	22592	S40 same (phase adj (shift difference angle))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 10:44
S42	4466	S41 same current same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 10:45
S43	118	S42 same trip	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 10:45
S44	37	S43 same (sense sensor sensing detect detector)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 10:45
S45	4	S44 same (comparision comparator compare)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 10:46
S46	182320	phase adj (difference shift angle)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:21
S47	23260	S46 same current same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:21
S48	437	S47 same breaker	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:22
S49	150	S48 same (sense sensor sensing detect\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:22

EAST Search History

S50	14	S49 same (comparision comparator compare)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:25
S51	251652	three same phase	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:25
S52	7555	S51 same (ct or (current adj transformer) or (current adj sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:27
S53	704	S52 same (phase adj (shift difference angle))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:28
S54	537	S53 same current	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:28
S55	429	S54 same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:28
S56	20	S55 same (comparision comparator compare)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:32
S57	182320	phase adj (shift difference angle)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:51
S58	1217	S57 same trip	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:32
S59	23260	S57 same current same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:33
S60	330	S59 same trip	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:33
S61	115	S60 same (sense sensor sensing detect detector)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:36

EAST Search History

S62	11	S61 same (comparision comparator compare)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 12:10
S63	7855	phase adj (shift difference angle) adj (detect\$5 sense sensing sensor monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:51
S64	732	S63 same current same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:52
S65	9	S64 same trip	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:52
S66	112	S64 same (comparision comparator compare)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:53
S67	216886	S66 sam trip	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:53
S68	0	S66 same trip	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 11:53
S69	183356	phase adj (shift difference angle discriminator)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 12:10
S70	23605	S69 same current same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/22 12:11
S71	2	((("6392422") or ("4672501"))).PN.	USPAT; USOCR	OR	OFF	2005/11/22 16:16
S72	408	(361/85).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/11 13:38

EAST Search History

S73	4	((("6392422") or ("4672501"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/11 13:38
S74	746	361/78	US-PGPUB; USPAT	OR	OFF	2006/03/13 08:29
S75	476955	ph	US-PGPUB; USPAT	OR	OFF	2006/03/13 08:31
S76	239248	phase adj (shift difference angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 08:31
S77	1888	S76 same (trip breaker)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 08:32
S78	653	S77 same current\$1 same voltage\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 08:32
S79	236	S78 same (sense sensor sensing detect detector detecting monitor monitoring monitored monitors)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 08:33
S80	58	S79 same (comparator comparision compare\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 08:33
S81	33	("3543092" "4179651").PN. OR ("4251846").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/13 08:40
S82	34497	phase adj (shift difference angle)	US-PGPUB	OR	OFF	2006/03/13 08:57
S83	208	S82 same (trip\$1 breaker)	US-PGPUB	OR	OFF	2006/03/13 08:57
S84	1515	S82 and (trip\$1 breaker)	US-PGPUB	OR	OFF	2006/03/13 08:58
S85	906	S84 and current\$1 and voltage\$1	US-PGPUB	OR	OFF	2006/03/13 08:58

EAST Search History

S86	864	S85 and (sense sensor sensing monitor monitors monitoring monitored detect detector detecting detected)	US-PGPUB	OR	OFF	2006/03/13 08:59
S87	483	S86 and (compare compares comparision comparator)	US-PGPUB	OR	OFF	2006/03/13 08:59
S88	197	S87 and (fault\$1)	US-PGPUB	OR	OFF	2006/03/13 09:00
S89	196	S88 and second	US-PGPUB	OR	OFF	2006/03/13 09:01
S90	111	S89 and (resistance)	US-PGPUB	OR	OFF	2006/03/13 09:01
S91	965	bulk adj (eras\$5 degauss\$5 demagnetiz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 14:30
S92	105	S91 same (cassette vhs tape)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 14:30
S93	30	S92 same (rotat\$4 orient\$6 angle perpendicular)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 14:31
S94	399	361/102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 09:19
S95	728	361/93.1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 10:00
S96	976	361/79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 10:01

EAST Search History

S97	194	S96 and ((phase adj (angle difference shift)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 10:01
-----	-----	--	---	----	-----	------------------